

US006643104B2

(12) United States Patent

Shimazawa

(10) Patent No.: US 6,643,104 B2

(45) **Date of Patent:** Nov. 4, 2003

(54) MAGNETORESISTIVE EFFECT THIN-FILM MAGNETIC HEAD

(75) Inventor: Koji Shimazawa, Tokyo (JP)

(73) Assignee: TDK Corporation, Tokyo (JP)

(*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35

360/324.2, 234.5, 322

U.S.C. 154(b) by 180 days.

(21) Appl. No.: 09/899,857

(22) Filed: Jul. 9, 2001

(65) **Prior Publication Data**

US 2002/0030946 A1 Mar. 14, 2002

(30) Foreign Application Priority Data

| Jul. | 10, 2000 | (JP) . | | 2000-208400 |
|------|-----------------------|--------|-----------|--------------|
| (51) | Int. Cl. ⁷ | | G11B 5/60 | ; G11B 5/10 |
| (52) | U.S. Cl. | | | 360/319 |
| (58) | Field of | Search | 360/ | 319, 324.11, |

(56) References Cited

U.S. PATENT DOCUMENTS

| 5,296,982 A | * | 3/1994 | Terada et al | 360/234.5 |
|-------------|---|--------|----------------|-----------|
| 5,668,688 A | * | 9/1997 | Dykes et al | 360/324.1 |
| 5 726 837 A | * | 3/1998 | Nakatani et al | 360/324.2 |

FOREIGN PATENT DOCUMENTS

JP 04103014 4/1992

OTHER PUBLICATIONS

W.P. Pratt, Jr., et al., "Perpendicular Giant Magnetoresistance of Ag/Co Multilayers", Physical Review Letters, vol. 66, No. 23, Jun. 10, 1991, pp. 3060–3063.

* cited by examiner

Primary Examiner—George J. Letscher Assistant Examiner—Christopher R Beacham (74) Attorney, Agent, or Firm—Burns, Doane, Swecker & Mathis, L.L.P.

(57) ABSTRACT

An MR thin-film magnetic head includes a lower shield layer, an upper shield layer, a MR multilayer sandwiched between the lower shield layer and the upper shield layer, the MR multilayer being electrically connected with the lower shield layer and the upper shield layer, a current flowing through the MR multilayer in a direction perpendicular to surfaces of layers, and a lead conductor having one end electrically connected to the upper shield layer and the other end connected to a terminal electrode. The lead conductor is patterned such that an area of said lead conductor located above said lower shield layer becomes small.

16 Claims, 10 Drawing Sheets

